

Dumps4u

Vendor: VMware

Exam Code: 2v0-642

Exam Name: VMware Certified Professional 6 - Network Virtualization (NSX v6.2)

Version: DEMO

More Info: <https://www.dumps4u.com/2v0-642-dumps>



24X7 X 365
Customer Support



Instant Download
Right After Purchase



SECURE SITE
100% secure site

TOTAL QUESTIONS: 120

FILE VERSION: 18

Question:1

Which virtual machine does VMware recommend be manually excluded from the Distributed Firewall?

- A. NSXManager
- B. Microsoft SQLServer
- C. vRealize AutomationAppliance

<https://www.dumps4u.com/>

D. vCenterServer

Answer:D

Question:2

What is one of the benefits of using logical switches in an NSX environment?

- A. Quality of Service parameters are automatically configured in a logical switch.
- B. The physical infrastructure is responsible for maintaining the logical switch broadcast tables.
- C. The physical infrastructure is not constrained by MAC/FIB table limits.
- D. IP subnet definitions can be migrated into logical switches using the NSX Manager.

Answer:C

Question:3

A group of users needs secured access to a set of web-based applications in a SDDC. Which VPN option is best suited for this?

- A. IPSecVPN
- B. SSLVPN-Plus
- C. L2VPN
- D. ApplicationVPN

Answer:B

Question:4

What are two things that should be done before upgrading from vCloud Networking and Security to NSX? (Choose two.)

- A. Power off vShieldManager
- B. Deploy NSX Manager virtual appliance
- C. Uninstall vShield Data Security
- D. Ensure that forward and reverse DNS is functional

Answer:C,D

Question:5

Which three methods can be used by the NSX Distributed Firewall to discover IP addresses? (Choose three.)

- A. DHCP Snooping
- B. IP Sets
- C. Spoofguard configured for Trust on First Use.
- D. VMware Tools installed on every guest virtual machine.
- E. ARP Snooping

Answer:A,D,E

Question:6


Which two network services are abstracted from the underlying hardware by NSX? (Choose two.)

- A. Virtual Private Networks.
- B. Multiprotocol Label Switching.
- C. Load Balancing.
- D. Overlay Transport Virtualizations.

Answer: A, C

Question:7

When specifying a source for a security rule, what is the purpose of the Negate Source check box?



- A. If Negate Source is selected, the rule is sent to only the objects identified under objecttype.
- B. If Negate Source is selected, the rule is applied to traffic coming from all sources except for the source identified under the objecttype.
- C. If Negate Source is not selected, the rule is applied to traffic coming from all sources except for the source identified under the objecttype.
- D. If Negate Source is not selected, the rule is sent to only the objects identified under the object type.

Answer: B

Question:8

What are two requirements of the network infrastructure to virtualize the access layer? (Choose two.)

- A. IPv4 connectivity among ESXi hosts provided by a spine-leaf network design.
- B. IPv4 connectivity among ESXi hosts.
- C. Increased MTU if the virtual machines are using the default MTU size of 1500.
- D. A Redundant, Layer 3, Top-of-Rack network design to provide high availability to ESXi hosts.

Answer: B, C

Question:9

Which vSphere network object abstracts the physical network, provides access-level switching in the hypervisor and enables support for overlay networking?

- A. StandardSwitch
- B. Distributed PortGroup
- C. DistributedSwitch
- D. LogicalSwitch

Answer:C

Question:10

A network administrator has been tasked with deploying a 3-tier application across two data centers. Tier-1 and tier-2 will be located in Datacenter-A and tier-3 will be located in Datacenter-B.

Which NSX components are needed to make this deployment functional?

- A. A universal transport zone deployed with a universal distributed logical router (UDLR), a universal logical switch and two local logical switches connected to theUDLR.
- B. A universal transport zone deployed with a universal distributed logical router (UDLR), two universal logical switches and a single logical switch connected to theUDLR.
- C. A universal transport zone deployed with a universal distributed logical router (UDLR) and three universal logical switches connected to theUDLR.
- D. A universal transport zone, a universal distributed logical router (UDLR) and three local switches in each data center connected to theUDLR.

Answer:C

THANKS FOR TRYING OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual **2v0-642**
Exam Questions With Answers.

Dumps4u also provides you extra **20% discount** on
the purchase of 2v0-642 exam. Use Coupon code:
“dumps4u”

More Info: <https://www.dumps4u.com/2v0-642-dumps>

Money Back Guarantee



<https://www.dumps4u.com/>